

## FBXO44 Recombinant antibody

**Cat:**B36151S

**Company:** HaoKebio

**Uniprot ID:**Q9H4M3

**Applications:** IHC:1:200-1:800

**Organism:**Rabbit

IHC-Polymer:1:800-1:3200

**Species reactivity:**Human Mouse

IHC-TSA:1:1000-1:4000

**Molecular Weight Calculation:** 26 kDa

IF:1:50

**Observed Molecular Weight:** 30 kDa

WB:1:2000-1:10000

FC:1:200-1:600

### Background:

FBXO44 is a member of the F-box protein family that shares a function as substrate recognition factors for the SKP1-CUL1-F-box (SCF)-type ubiquitin ligase. Several human FBXs (FBXO2, FBXO6, FBXO17, FBXO27, and FBXO44) share a conserved G domain (also known as FBA domain), which is responsible for recognizing N-glycan moieties by most FBXs in this group except FBXO44.

### Synonyms:

230229G7, F box only protein 44, F box protein 44, F box protein FBX30, F box/G domain protein 3

### Immunogen:

Recombinant protein

### Isotype:

IgG

### Subcellular location:

Nucleus

### Purity:

Affinity purification

### Form:

Liquid

### Storage Buffer:

PBS with 0.02% sodium azide, 100 µg/ml BSA and 50% glycerol.


### Storage:

Store at -20 °C for one year.

### Experimental procedure:

Antigen retrieval: Citrate buffer (pH 9.0) , Medium high heat for 8 minutes, stop for 7 minutes, medium high heat for 8 minutes. Incubate antibody, 4 °C overnight. Secondary antibody: Poly-HRP Goat Anti-Rabbit & Mouse Universal Secondary Antibody, RT, 1h.

### Images:



Sample: Mouse spleen, 4% PFA 12-24h

### Source of Reagents:

发表[中文论文]请标注:FBXO44(B36151S)由杭州浩克生物技术有限公司提供;

发表[英文论文]请标注:FBXO44(B36151S) were kindly provided by Hangzhou Haoke Biotechnology Co., Ltd.